

Oak Boundary



The Boundary range, named after the Grade II listed, modest but unique, housing estate situated a stone's throw from our East showroom, is about integrity and honest workmanship.

These high quality, design-led timber floors are available in 6 distinctive colours in plank, herringbone, and chevron parquet.

The 15mm engineered oak board offers a simple, minimal look with less colour and grain variation. Available in three grades of timber, with the select grade having fewer knots, like for like, than other ranges.



Arnold



Calvert



Camlet



Hocker



Montclare



Navarre

Planks from: £109 sqm ex VAT

Widths available: 160, 180, 200, 220, 240, 260, 300mm

Thickness available: 15 & 19mm

Duplex engineered

Herringbone & Chevron from: £134 sqm ex VAT

Sizes available: Herringbone 90 x 400mm, 140 x 700mm. Chevron 140 x 660mm

Thickness available: 15mm

Duplex engineered

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 4mm top layer oak
BEVEL	Micro bevel as standard
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	EN: 13501: Dfl-S1
THERMAL CONDUCTIVITY	0.119-0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.



West:
61 Paddington St
London W1U 4JD
020 7486 4838

East:
7a Ezra Street
London E2 7RH
020 7221 8188

Registered in England & Wales: Solid Floor Ltd. 7a Ezra Street, London E2 7RH
Company Reg No: 03287805 | VAT Reg No: 710 4793 50
FSC* licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-828136
solidfloor.co.uk sales@solidfloor.co.uk  solidfloor  solidfloor