

# Oak Foundry

---



The Foundry range highlights the natural, industrial character of oak - metal inserts optional.

Boards feature heartwood with open cracks, knots, sawing marks, and subtle color variations, giving each floor a distinctive appearance. Optional metallic inserts can be added to enhance the workshop-inspired aesthetic.

Certain finishes are treated with hard wax oil, while others are lacquered, providing surfaces that are durable, easy to clean, and simple to maintain. The Foundry range is suited to interiors seeking a bold, industrial, or warehouse-style look.



Gilded Iron



Burnt Iron



Flamed Iron

## Planks: From £199m<sup>2</sup>

Widths available: Mixed width: 140, 160, 180, 190, 220, 240, 260, 280, 300mm

Thickness available: 20 & 22mm

Duplex engineered & Solid timber

Extra Rustic Grade

## Herringbone & Chevron: £259m<sup>2</sup>

Sizes available: 120x650mm, 120x720mm

Thickness available: 22mm

Solid timber

Extra Rustic grade

## Versailles Panel: £394m<sup>2</sup>

Size available: 1020 x1020mm

Thickness available: 22mm

Solid timber

Extra Rustic grade

Prices do not include VAT or delivery

## Technical Specifications

<b>SPECIES</b>	European oak
<b>APPLICATION</b>	Commercial and residential (Indoor)
<b>CONSTRUCTION</b>	Duplex engineered 6mm top layer oak 22mm Solid Oak
<b>BEVEL</b>	Hand scraped as standard
<b>INSTALLATION TECHNIQUE</b>	Nail, glue bonding or floating
<b>SUITABLE FOR UFH</b>	Yes, when duplex engineered
<b>FIRE CLASSIFICATION</b>	EN: 13501: Dfl-S1
<b>THERMAL CONDUCTIVITY</b>	0.119-0.17 λ W/mK
<b>HARDNESS</b>	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.



**EAST:**  
Unit 7  
11-29 Fashion Street  
London E1 6PX  
020 7221 8188

**WEST:**  
61 Paddington St  
London W1U 4JD  
020 7486 4838

Registered in England & Wales: Solid Floor Ltd. Unit 7, 11-29 Fashion Street, London E1 6PX  
Company Reg No: 03287805 | VAT Reg No: 710 4793 50  
FSC licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-828136  
solidfloor.co.uk team@solidfloor.co.uk solidfloor solidfloor