

Oak Foundry



The Foundry range highlights the natural, industrial character of oak.

Boards feature heartwood with open cracks, knots, sawing marks, and subtle color variations, giving each floor a distinctive appearance. Optional metallic inserts can be added to enhance the workshop-inspired aesthetic.

Certain finishes are treated with hard wax oil, while others are lacquered, providing surfaces that are durable, easy to clean, and simple to maintain. The Foundry range is suited to interiors seeking a bold, industrial, or warehouse-style look.



Burnt Iron



Flamed Iron



Gilded Iron

Planks: From £199 sqm ex VAT

Widths available: Mixed width: 140, 160, 180, 190, 220, 240, 260, 280, 300mm

Thickness available: 20 & 22mm

Duplex engineered & Solid

Extra Rustic Grade

Herringbone & Chevron: £259 sqm ex VAT

Sizes available: 120 x 650mm, 120 x 720mm

Thickness available: 22mm

Solid

Extra Rustic grade

Versailles Panel: £394sqm ex VAT

Size available: 1020 x 1020mm

Thickness available: 22mm

Solid Oak

Extra Rustic grade

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 6mm top layer oak 22mm Solid Oak
BEVEL	Hand scraped as standard
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	EN: 13501: Dfl-S1
THERMAL CONDUCTIVITY	0.119-0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.



West:
61 Paddington St
London W1U 4JD
020 7486 4838

East:
7a Ezra Street
London E2 7RH
020 7221 8188

Registered in England & Wales: Solid Floor Ltd. 7a Ezra Street, London E2 7RH
Company Reg No: 03287805 | VAT Reg No: 710 4793 50
FSC® licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-82813
solidfloor.co.uk sales@solidfloor.co.uk solidfloor solidfloor