

Oak London



Our latest addition of natural, textured oak
floors

Twelve distinctive, muted colours all with slightly different textures, as diverse as our beloved city. The floors share a tactile quality: lightly to deeply brushed, some weathered, others in a reclaimed look - all with the same strong focus on quality craftsmanship and durability.



Barbican



Barnsbury



Bloomsbury



Brompton



Farringdon



Hampton



Highgate




Mortlake



Oval



Pimlico



Wapping



Wimbledon

Planks: From £144sqm ex VAT

Widths available: 160, 180, 200, 220, 240, 260, 300mm

Thickness available: 15 & 19mm

Duplex engineered

Herringbone & Chevron: From £199sqm

Sizes available: Herringbone 90 x 400mm & 140 x 700mm. Chevron 140 x 660mm

Thickness available: 15mm

Duplex engineered

Our Old London collection offers plenty of character due to their undulating, gently brushed surfaces and shrunken knots. The wood has a time-worn yet elegant matt patina, a superb choice for a modern rustic interior.



Old Barbican



Old Brompton



Old Finsbury



Old Fitzrovia



Old Holborn



Old Kew



Old Pimlico



Old Putney

Planks: From £164sqm ex VAT

Widths available: 180, 220, 260, 300mm

Thickness available: 17mm

Duplex engineered

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 4mm or 6mm top layer oak
BEVEL	Micro bevel as standard
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	Dfl-S1
THERMAL CONDUCTIVITY	0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.



West:
61 Paddington St
London W1U 4JD
020 7486 4838

East:
7a Ezra Street
London E2 7RH
020 7221 8188

Registered in England & Wales: Solid Floor Ltd. 7a Ezra Street, London E2 7RH
Company Reg No: 03287805 | VAT Reg No: 710 4793 50
FSC® licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-828136
solidfloor.co.uk sales@solidfloor.co.uk  solidfloor  solidfloor