

Oak London



Natural, lightly brushed oak in modern muted shades, matte and tactile.

Distinctive, muted colours all with slightly different textures, as diverse as our beloved city. The floors share a tactile quality: lightly to deeply brushed, some weathered, others in a reclaimed look - all with the same strong focus on quality craftsmanship and durability.



Brompton




Wimbledon



Barbican



Highgate



Hampton



Wapping

Planks: From £159 sqm

Widths available: 160, 180, 200, 220, 240, 260, 300mm.

Thickness available: 15 & 19mm

Duplex engineered

Herringbone & Chevron: From £174sqm

Sizes available:

Herringbone 70x700mm, 100x600mm, 140x700mm

Chevron 90x510mm, 140x660mm.

Thickness available: 15mm

Duplex engineered

Prices do not include VAT or delivery

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 4mm or 6mm top layer oak
BEVEL	Micro bevel as standard
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	Dfl-S1
THERMAL CONDUCTIVITY	0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.