

Oak Strata



The Strata range consists of lightly brushed oak floors that offer classic, timeless style.

The boards are lightly brushed, some are smoked, and they are all sealed with a selection of clear or pigmented oils for ageless simplicity. The Strata range comes in nine distinctive, colours, eight plank widths, and is also available in herringbone and chevron.



Strand



Hurst




Peninsula



Wold



Moor



Glen



Dale



Palisades



Fen

Planks: From £109 sqm

Widths available: 140, 180, 200, 220, 240, 260, 280 and 300mm

Thickness available: 15mm & 20mm

Duplex engineered or Solid timber

Herringbone & Chevron: From £139 sqm

Herringbone: 90x540mm, 90x810mm, 120x600mm, 140x700mm, 160x800mm, 180x900mm

Chevron: 120x600mm, 140x700mm, 180x900mm

Thickness available: 15mm

Duplex engineered or Solid timber

Prices do not include VAT or delivery

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 4 or 6mm top layer oak Solid oak
BEVEL	Micro bevel as standard, also available hand scraped or square edged
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	EN: 13501: Dfl-S1
THERMAL CONDUCTIVITY	0.119-0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages, the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a certain period, you may wish to have the floor surface sanded down and refinished. You could then choose to re-oil the floor or have it stained first, or even refinished in lacquer.



EAST:
Unit 7
11-29 Fashion Street
London E1 6PX
020 7221 8188

WEST:
61 Paddington St
London W1U 4JD
020 7486 4838

Registered in England & Wales: Solid Floor Ltd. Unit 7, 11-29 Fashion Street, London E1 6PX
Company Reg No: 03287805 | VAT Reg No: 710 4793 50
FSC licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-828136
solidfloor.co.uk team@solidfloor.co.uk  solidfloor  solidfloor