

Oak Tate



Visible saw marks on the surface of the oak give the Tate its distinctive, vibrant texture, producing a stylish floor bursting with energy, character and vitality.

Oak Tate is a firm favourite amongst our interior designers and architects' clientele. Don't be fooled by its industrial look; this floor delivers an exquisite foundation for any scheme, contemporary, period, or minimalist. Available in a range of tones and widths, as well as parquet, this special floor offers boundless possibilities.



Skye



Bute



Tiree



Iona



Arran

Planks: From £124m²

Thickness available: 15mm & 20mm

Widths available: 140mm, 180mm, 220mm, 240mm, 260mm, 280mm

Duplex engineered or Solid timber

Herringbone & Chevron: From £154m²

Herringbone: 90x540mm, 90x810mm, 120x600mm, 140x700mm, 160x800mm, 180x900mm

Chevron: 120x600mm, 140x700mm, 180x900mm

Thickness available: 15mm

Duplex engineered or Solid timber

Prices do not include VAT or delivery

Technical Specifications

SPECIES	European oak
APPLICATION	Commercial and residential (Indoor)
CONSTRUCTION	Duplex engineered 4 or 6mm top layer oak Solid oak
BEVEL	Micro bevel as standard
INSTALLATION TECHNIQUE	Nail, glue bonding or floating
SUITABLE FOR UFH	Yes, when duplex engineered
FIRE CLASSIFICATION	EN: 13501: Dfl-S1
THERMAL CONDUCTIVITY	0.119-0.17 λ W/mK
HARDNESS	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.